

Index

Notes: Entries with (W) at the end of the text indicate a reference to a ProTrak Window by the displayed window title. Where the displayed window title includes a variable such as a date, a location or a record number, the variable has been omitted. See the explanation in the Introduction section of the manual.

- | A | B |
|---|---|
| A passenger car's first location... 13-9 | Backing up data L-8 |
| Active staging L-97 | Bad order L-61 |
| Adding a commodity 8-19 | Bad ordered cars L-29 |
| Adding an offline shipper 12-10 | Base elevation above the floor 2-8 |
| Adjusted weight A-1 | Base elevation above the
floor (W) 2-8 |
| Administration 1-6 | Bearing 7-13 |
| Clearance plate 1-7 | Bearing kind 7-13 |
| Core segment notes 1-6 | B-end faces 7-14 |
| Default yard location 7-1 | Bill of Lading/Waybills (W)
..... 8-4, 10-6 |
| Definitions and terminology 1-10 | Bill-of-lading 8-1 |
| Heaviest car allowed 1-7 | Blocking in a train 12-6, L-40, L-41 |
| Limits on Equipment, Railroad &
Traffic 5-1, 7-6 | Branch line L-16 |
| Middle notes 1-6 | Built date 7-13 |
| Middle rail is 1-7 | |
| Middle subdivisions 1-8 | C |
| Minimum Middle radius is 1-8 | Cabin 1-11 |
| Model scale of railroad is 1-8 | Caboose 1-11 |
| Name of core segment 1-7 | Car blocking L-40, L-41 |
| Railroad timetable directions 1-7 | Car class 7-12, 13-11 |
| Setting Operating Limits (W) 5-1 | Car Distribution Report (W) 9-41 |
| SPOT Format and special SPOTs. 7-1 | Car Factor A-1 |
| Train jobs 5-1 | Car factor (on this grade) 2-6 |
| Vertical clearance is based on
clearance plate 1-7 | Car kind 7-12, 13-11, L-69 |
| All cars at industrial spurs (W) . 10-10 | Car length L-51, L-97 |
| Alternate symbol L-91 | Car number 7-12 |
| Assigning passenger cars (W) .. 13-24 | Car number OK? (W) 7-25 |
| Assigning passenger cars to a
train 13-23 | Car routing 9-9 |
| Average grade between stations
..... 2-6 | Car service directive L-61 |
| Average grade on these tracks is
..... 2-6 | Car Service Directives 8-1 |
| | Car weight L-51, L-58 |
| | Car with invalid SPOT (W) 7-4 |

Car-order	8-1, 8-30, L-66	Core segment	A-2
Car-Order Details (W)	8-35	Core segment notes	1-6
Car-orders – Customers and Loading Points (W)	8-31, 10-1	Correcting Siding SPOTs (W)	3-7
Car-orders – passenger cars	13-41	Create car-order? (W)	12-10
Cars bad ordered	L-29	Creating string diagram (W)	12-41
Cars blocked at	6-3	Creating string diagram- Subdivisions in (W) .	12-26, 12-27
Cars in train that just arrived (W)	9-28	Current Trains in Line-up, as of (W)	9-19, 10-4
Cars Needed for Freight Traffic (W)	9-42	Customer capacity	L-25
Change home railroad	1-1	Customer deletion	6-23
Change Home Road (W)	F-5	Customer with multiple entries...	6-10
Change new staging track? (W) ...	3-2	Customers	6-1, L-18
Change to this railroad	1-5	Customers and Loading Points (W)	6-1, 13-2
Changed Home Road (W)	1-2, 1-6	Cutlist	9-1, 9-28, L-116
Changing a yard (W)	4-2, 5-15		
Changing active car (W)	13-11	D	
Changing commodity (W)	8-21	Daily Summary and Update (W).	9-39
Changing customer (W)	6-2, 6-14, 12-11, 13-3	Data backup	L-8
Changing staging track (W)	3-3	Default location for passenger cars	13-5
Changing station (W)	2-4	Default yard	7-1, L-14
Changing train (W)	5-4, 5-18, 12-19, 13-14	Defining a switchlist	9-2
Charges	8-12	Defining a Switchlist (W)	9-2
Classification Yard	A-2	Definitions and terminology	1-10
Clean out track	L-31	Cabin	1-11
Cleaning tank car (W)	12-8	Caboose	1-11
Cleaning track	L-27	Conductor’s train journal	1-11
Clearance plate	1-7, 7-13, A-1, A-2	Switching zone	1-11
Clearance point	2-3, A-2	Switchlist	1-11
Commodity or STCC? (W)	8-8	Workorder	1-11
Conductor’s train journal	1-11	Yardmaster’s switchlist	1-11
Conductors Passenger Service Report	13-38	Definitions and Terminology (W)	1-10
Connecting train	5-10	Delete car data only	7-26
Consignee	8-5	Delete car slot	7-26
Consignee city	8-9	Delete schedule (W)	12-42
Consignee company	8-9	Delete subdivision	2-11
Consignee is	7-14	Deleting a car	7-26
Consignee siding number	8-9	Deleting a Car (W)	7-26
Continuing in transit	8-12, 13-35, L-71	Deleting a subdivision (W)	2-12
		Deleting a train from the ProTrak Scheduler	12-42
		Deleting customer (W)	6-23

Deleting Items, Compacting
 Files (W)5-2
 Deleting staging track (W)..3-9, 3-10
 Demurrage free time..... 8-12, L-25
 Demurrage time
*See* Demurrage free time
 Distance between clearance points
2-5, 2-6
 Double reporting
 10-8, L-119, L-150

E

Elevation2-6
 Equated weight..... A-3
 Equipment exits staging as train
5-11
 Era, Date & Minimum Rates (W)
9-15
 Estimated ridership6-15
 Exit operations session? (W).....9-14

F

Facing point switch
 6-3, 6-10, 12-4, A-6, L-22, L-24
 Fast clock ratio2-2, 2-10
 Fast clock settings.....2-1
 Fast Clock Settings (W)2-1
 Fill car? (W)..... 12-13
 Fill to load L-76
 Financial Summary (W)9-16
 Finding a Commodity or Lading (W)
8-20
 Found out-of-date waybill (W)3-8
 From previous station.....2-5

G

Gateway railroad connection
 required (W).....9-10
 Gateways3-11, A-3, E-7
 General Manager’s Daily
 Summary (W)9-41

H

Has car been weighed? (W)..... 12-13

Hazardous material 12-9, L-63
 HazMat.....*See* Hazardous material
 Heaviest car allowed1-7
 Home road via connection
 *See* Return Empty To
 HotboxL-60
 Hotbox detector 12-44
 Hotbox Detector (W)..... 12-44

I

Icing track.....L-29
 Import Home Railroad (W)F-4
 Importing car data7-28
 Inside length 8-10, 8-11
 Interchange track L-33
 Interval 2-3, A-3, A-5
 Invalid car-order (W)8-36
 Invalid SPOT.....7-8

L

Largest minimum radiusL-14
 Length over couplers.....7-12
 Light weight7-13
 Limits on Equipment, Railroad &
 Traffic5-1, 7-6
 Line up of trains.....L-35
 Line-up.....5-7
 Line-up of Trains for (W).....5-8
 Listing of train jobs (W)..... 13-14
 Liveload
8-10, 8-11, A-4, L-58, L-68
 Load restricted to.....7-13
 Load, removableL-58
 Load/Commodity.....8-9
 Loading railroad data (W)
9-12, 10-3
 Loading/Unloading timeL-25
 Location of car.....7-14
 Long lists..... 6-5, L-11
 Lost dataL-7

M

Make this shipment.....8-12
 Middle characteristics (W)1-7

Middle notes.....1-6
 Middle rail is1-7
 Middle subdivisions1-8
 Milepost 2-10, L-15
 Minimum Middle radius is1-8
 Minimum radius L-14
 Minimum siding length2-3
 Minimum Siding Length (W)2-3
 Model car is owned by.....7-14
 Model last inspected on.....7-14
 Model scale of railroad is1-8
 Move station.....2-9
 Moving a station (W).....2-9
 Multiple new cars.....7-16
 Multiple new cars (W)7-17
 Multiple SPOTs L-17, L-20

N

Name of core segment.....1-7
 Named point.....2-5
 Naming Middle Subdivisions (W)
1-9
 New home railroad.....1-2
 New Home Railroad (W).....1-2
 New schedule (W) 12-43
 New train lineup needed.....9-8

O

Official Railway Equipment Register
 A-4
 Offline Connections – Staging
 Tracks (W)3-1
 Offline Shippers & Consignees (W)
8-3
 Open this train at (W) 9-25, 10-11
 Operate on another Railroad (W)
 1-1, 1-5, F-5
 Operating year.....1-4
 Operations Pre-processor (W).....9-9
 Ordered car kind..... 8-10, 13-32
 ORER*See* Official Railway
 Equipment Register
 Origin station.....5-5
 Orphaned cars (W)3-10

Orphaned waybills (W).....3-10
 Other services2-7
 Overhead traffic..... L-93

P

Paired sidings L-21
 Passenger car car-orders..... 13-41
 Passenger car kind..... 13-11
 Passenger car waybills . 13-31, 13-32
 Passenger cars 13-10
 Passenger cars default location..13-5
 Passenger ops switchlist..... 13-38
 Passenger service 13-15
 Passenger service waybill 13-32
 Passenger Service waybill (W) . 13-33
 Passenger station.....6-13
 Perishable handling.....8-12
 Permanent deletion (W)7-27
 Plate *See* Clearance plate
 Population served6-15
 Printers at Stations (W).....9-3
 Printing (W).....9-49
 Printing freight/MOW cars (W)...9-49
 Printing schedules and string
 diagrams 13-25
 Printing Train Schedules (W) ... 13-26
 Program options settings..... 1-10
 Long lists6-5
 ProTrak Program Options (W).....6-5

ProTrak Windows

All cars at industrial spurs..... 10-10
 Assigning passenger cars 13-24
 Base elevation above the floor 2-8
 Bill of Lading/Waybills 8-4, 10-6
 Car Distribution Report..... 9-41
 Car number OK? 7-25
 Car with invalid SPOT..... 7-4
 Car-Order Details..... 8-35
 Car-orders – Customers and
 Loading Points8-31, 10-1
 Cars in train that just arrived 9-28
 Cars Needed for Freight Traffic . 9-42
 Change Home Road F-5

Change new staging track?	3-2	Invalid car-order.....	8-36
Changed Home Road.....	1-2, 1-6	Line-up of Trains for	5-8
Changing a yard.....	4-2, 5-15	Listing of train jobs	13-14
Changing active car	13-11	Loading railroad data	9-12, 10-3
Changing commodity	8-21	Middle characteristics.....	1-7
Changing customer	12-11	Minimum Siding Length.....	2-3
Changing customer	6-2, 6-14	Moving a station	2-9
Changing customer	13-3	Multiple new cars.....	7-17
Changing staging track	3-3	Naming Middle Subdivisions.....	1-9
Changing Station.....	2-4	New Home Railroad	1-2
Changing train		New schedule.....	12-43
.....	5-4, 5-18, 12-19, 13-14	Offline Connections – Staging	
Cleaning tank car	12-8	Tracks.....	3-1
Commodity or STCC?.....	8-8	Offline Shippers and Consignees	
Correcting Siding SPOTs	3-7	8-3
Create car-order?	12-10	Open this train at	9-25, 10-11
Creating string diagram	12-41	Operate on another Railroad	
Creating string diagram-		1-1, 1-5, F-5
Subdivisions in.....	12-26, 12-27	Operations Pre-processor	9-9
Current Trains in Line-up, as of		Orphaned cars.....	3-10
.....	9-19, 10-4	Orphaned waybills	3-10
Customers and Loading Points		Passenger Service waybill.....	13-33
.....	6-1, 13-2	Permanent deletion.....	7-27
Daily Summary and Update.....	9-39	Printers at Stations	9-3
Defining a Switchlist	9-2	Printing.....	9-49
Definitions and Terminology	1-10	Printing freight/MOW cars	9-49
Delete schedule	12-42	Printing Train Schedules.....	13-26
Deleting a Car.....	7-26	ProTrak Program Options	6-5
Deleting a subdivision.....	2-12	Quick Traffic – Overhead Traffic	
Deleting customer	6-23	Car-orders for Home	
Deleting Items, Compacting Files		Region Empties	I-6
.....	5-2	Reporting movements.....	9-24
Deleting staging track.....	3-9, 3-10	Resetting Session Number.....	9-15
Era, Date & Minimum Rates	9-15	Rolling stock (Cars)...	7-4, 7-5, 13-10
Exit operations session?.....	9-14	Rule 15 – Agency Record of a	
Fast Clock Settings	2-1	Shipper’s Request for Cars ..	8-32
Fill car?	12-13	Rule 15 Record of Car-Orders	
Financial Summary	9-16	8-31, 10-2, 13-42
Finding a Commodity or Lading		Save Subdivision Notes	1-8
.....	8-20	Scales, Rip, and Clean out tracks	
Found out-of-date waybill	3-8	6-11
Gateway railroad connection		Selective Update.....	9-46
required	9-10	Session Windup – Special Car	
General Manager’s Daily		Movements.....	9-47, 10-12
Summary	9-41	Setting Operating Limits.....	5-1, 7-7
Has car been weighed?.....	12-13	Setting Trains - Listing	5-4
Hotbox Detector.....	12-44	Settings in use!	7-2
Import Home Railroad	F-4	Shipping Season	12-14

Siding name/commodity
 6-10, 13-6, L-21
 Siding SPOT6-18
 Some trains do not run today (W)
5-8
 Sort commodity files now? (W)
8-22
 Special siding names.....13-7
 SPOT Format and special SPOTs
7-1
 SPOT or ZTS (Zone/Track/Spot)
 Code Formats (W)13-9
 SPOT or ZTS (Zone/Track/Spot)
 Code Formats (W) 7-2, L-18
 SPOTs, multiple L-17, L-20
 Staging track
2-2, 3-1, 5-4, L-83, L-140
 Standard Transportation Commodity
 Code 6-19, 12-9, L-63
 Start-up Car-orders for Customers
 and Loading Points (W)..... I-1
 Start-up car-orders for online
 customers (W)..... I-2
 Station numbers L-15
 Stations.....2-2
 Stations on core segment of
 Middle (W)2-3
 STCC . See Standard Transportation
 Commodity Code
 String diagram..... 11-12, 12-23,
 12-25, 13-18, L-15
 Stringlining8-11, A-6
 Subdivision 2-5, A-6, L-16
 Switching blocks6-10
 Switching railroad6-2
 Switching train.....5-17, 6-2
 Switching zone 1-11, L-40
 Switchlist..... 1-11, 9-1, 9-18,
 13-38, L-114, L-151
 Switchlist – passenger ops..... 13-38
 Switchlist Preview (W).... 9-32, 13-46

T

Terminal station.....5-5

Terminating Update (W).....9-47
 Test for possible cars for this
 shipment.....8-9, 8-13
 Through traffic trains5-3
 Timetable11-7, 12-23, L-43
 Timetable scheduling 12-35
 Today’s Operating Conditions (W)
 9-17
 Tombstone data.....1-1
 Too many Secondary Switching
 Trains – Data outdated (W)6-24
 Tool tip1-7, A-6
 Track material waybill10-7
 Tracks under DS control2-6
 Traffic 13-14
 Traffic - passenger service..... 13-15
 Trailing point switch
 6-3, 12-4, A-6, L-24
 Train jobs.....5-1
 Train length limitL-37, L-38, L-39
 Train reporting location
 ..5-13, 6-24, 10-8, 12-18, A-7
 Train schedules (W)..... 12-35, 12-36
 Train switching zone A-7
 Train symbol/number5-4
 Trains - Listing (W)5-4
 tt See tool tip
 Turn5-17

U

Uniform Bill of Lading (W)
 8-6, 13-32
 Updating siding numbers (W)3-7

V

Vertical clearance is based on
 clearance plate1-7
 Volume8-10

W

Waybill 7-13, 8-1, 8-2, L-65
 Waybills - passenger cars 13-31
 Weigh scales6-11
 Weight of model7-14

Which staging did train enter (W)
.....9-37
Which state or province? (W)
.....3-3, 8-18
Which subdivision? (W) .. 2-11, 12-26
Windows by Name
..... See ProTrak Windows
Work notes..... 13-45
Work Notes for Work Location (W)
..... 13-47
Working scale? (W).....6-12
Working weigh scale6-12
Worklist..... L-151
Workorder 1-11, L-114

Y

'y' track L-35, L-42, L-44, L-131
Yard blocking.....5-5, 5-19
Yard information system.....4-2
Yardmaster's switchlist 1-11
Yards4-1
Yards and Interchanges (W)
..... 4-1, 5-14

Z

Zone code2-5, A-7
Zone printing9-1
Zone speed limit 2-5, 12-22
Zone/Track/Spot.....7-3
ZTSSee Zone/Track/Spot